# 

RECORD

## FIELD MUSEUM OF NATURAL HISTORY

ROOSEVELT ROAD AT LAKE SHORE DRIVE CHICAGO, ILLINOIS 60605. U.S.A. (312) 922-9410



DR. TIMOTHY PLOWMAN
BOTANY DEPARTMENT

CRPT BOT Plowman 025

1985

| 1                    |                      |                       |
|----------------------|----------------------|-----------------------|
| JANUARY              | FEBRUARY             | MARCH                 |
| BMTWTFS              | SMTWTPS              | SMTWTPS               |
| 1-1-1 2 3 4 5        | 1 2                  | 1 2                   |
| 6 7 8 6 10 11 12     | 3 4 3 6 7 9 6        | 3 4 5 6 7 6 5         |
| 13 14 13 12 17 18 19 | 10 11 13 13 14 15 16 | 10 11 12 13 14 15 15  |
| 20 21 22 41 14 25 26 | 17 18 10 20 21 22 23 | 17 16 19 30 21 22 23  |
| 27 28 22 30 11       | 24 35 26 27 24 11    | 24 25 26 21 28 29 30  |
|                      |                      | 31                    |
| APRIL                | MAY                  | JUNE                  |
| SHYWYFS              | SHTWYPS              | SHTWTFS               |
| -121456              | ** ** * 1 2 3 4      | ord and 40 to 10 at 1 |
| 1 7 8 9 10 11 12 13  | 5 6 7 9 9 10 11      | 2 3 4 5 4 7 9         |
| 14 18 18 17 18 19 20 | 12 13 14 15 16 17 18 | 0 10 11 12 13 14 15   |
| 21 22 21 24 25 26 27 | 19 20 21 22 23 24 25 | 16 17 18 19 20 21 22  |
| 28 29 30             | 26 27 23 29 36 31    | 23 24 25 26 27 28 29  |
| 40 00 10 00 00 00 00 | ** ** ** ** ** **    | 30                    |
| JULY                 | AUGUST               | SEPTEMBER             |
| SHTWTFS              | SMTWTFS              | SHTWTFS               |
| 1 2 3 4 5 6          |                      | 1224567               |
| 7 8 5 10 11 12 13    | 4 5 6 7 8 9 10       | 8 9 10 11 12 17 14    |
| 14 15 16 17 18 19 20 | 11 12 13 14 15 16 17 | 15 16 17 19 19 20 21  |
| 21 22 33 24 35 26 27 | 18 19 70 21 23 23 24 | 22 23 24 25 26 27 78  |
| 28 29 30 31 ** ** ** | 72 52 54 54 54 30 31 | 29 30 ++ +- ++ ++     |
| ** ** ** ** ** **    |                      | 50 44 M 80 80 40 81   |
| OCTOBER              | NOVEMBER             | DECEMBER              |
| SMTWTFS              | BMTWTFS              | SHTWYFS               |
| 1 2 3 4 5            |                      | 1234567               |
| 6 7 8 9 10 13 2      | 3 4 5 6 7 8 9        | 8 9 10 11 12 13 14    |
| 13 14 15 16 17 10 19 | 10 11 12 13 14 15 19 | 15 16 17 18 19 20 21  |
| 20 21 24 24 24 25 26 | 17 10 19 20 21 22 23 | 22 23 24 25 26 27 28  |
| 27 28 -9 40 31       | J4 35 26 37 20 29 30 | 29 30 31              |
| 90 00 40 00 -1 00 40 | In or se so to to de | 21 42 14 24 44 44 44  |
| 1                    | 1 10 10              |                       |



# ACCOUNT

144 PAGES • 7% IN. x 51/4 IN. (20 cm x 13.4 cm)

#### AVAILABLE AS:

 No. 64-5400
 (2044-J)
 JOURNAL

 No. 64-5402
 (2044-SEL)
 S.E. LEDGER

 No. 64-5404
 (2044-DEL)
 D.E. LEDGER

 No. 64-5406
 (2044-C)
 CASH

 No. 64-5408
 (2044-R)
 RECORD

 No. 64-5482
 (2044-1)
 RECORD-Ind. A-Z

TIMOTHY PLOWMAN BOTANY DEPARTMENT FIELD MUSEUM OF NATURAL HISTORY CHICAGO, ILLINOIS 60605

Tel. (312) 922-9410 ext. 317



MBM 4457- Erythroxylun deciduum St. Hil.
MO K
F U
NY
WOOD
LWS for Anal.

### BRAZIL

Erythroxylum deciduum St. Hil.

red and shiny.

Det. T. Plowman, 1985

Tree 10 m tall in open cut-over area near bosque de Capanema. Just one individual seen. Bark dark grey with lots of longitudinal fissures. Leaves shiny dark green above with yellowish midrib, below pale green and dull with pale green midrib. Very abundant fruit set, drupes medium

Estdo PARANA: Mun. Curitiba. Parque Nova Iquaçu, Curitiba. Alt. 900 m.

Paul E. Berry, 23 January 1985
Timothy Plowman & Francisco Juarez 4457
MISSOURI BOTANICAL GARDEN HERBARIUM (MO)



Brazil: Edo. Parens, Municipio Balsa Nova. Serra São Luis do Purunã.

Along highway BR-277. Alt. 1140 m. Sandstone outerop.

26 Jeneiro 1985. Coll. P. E. Berry + T. Plowmen

4468. Tibouchina Melast.

Evet Shrub 1.5 n. tall on dry ope bent 21 ong vord. Overy and sepale red. Petals delp violet.

det. B. F. Hansen 18 f.

4469. Mandevilla atroviolacea (Stadelm) Apocyn.

(b) Twining vine 1.5 m. tall on

Fring vine 1.5 m. tall on

Futside Corolla tuke: basal stems with latex:

Outside Corolla tuke: basal white part: light

green of very besself, white, then pint straked

white; lokes deep red; inner carolla

tube: basal constricted part pale

yellow; lower helf of flired part

orange, upper half and lokes deep

blood-red. Huthers yellow.

4469A. Aechmes nudicaulis (L.) (risely, Bromel.

= 13916 -> SEL det. H. Luther 1985.

Apocyn. 4470. Herbaceous vine zurong shruks on steep rocky open stope. Leeves light (1) green above, very pele green beneath. Letex is sten. Flowers pele yellow. Solitary Lerb on open disturbed sundy slope. Capitula white 4471. 4472. Sisyrinchium macrocophalum Crraham Iridac. Herb forming dend clumps on open sandy hillside at edge fi- (1) = MO of campo, somewhat disturbed. Flowers light yellow. Fruits brownish purple, sking 1985. det. J. Henrik L. 1985. (1) - Shrub I m. tall in grassy

Campo. Fks. green. 4473 Loboliac 4474. (4) Herb i gressy compo. Corolla take white, limb pinh

(4475. Coccocypselum guianens & Rubic. (5) det. J. Kirkbride 1987. Prostroti Prostrate creeping herb zwong gresses and shrub is hillside NY Cempo. Corolla violet: Rubiac. 4476. Declienxis Flowers blue-violet. 4477. Weinmannia Treelet 4 m. tall in forested raine Flowers cream. 4478. Vernonia (2) Perenniel hert on open sendy bank. Leaver brittle. Involucre gry-green. Florets megenta. 4479. Hymenophyllum plumosum Kif. Fern (4) det. R. Cr. Stolze 1986. Crowing on verticle sendstone

rocky-benk.

4480. Errosorus myriophyllum (Sw.) Copel. fer (2) Let. R.G. Stolze 1987 F Growing on sends benk under shefe of Jendstone boulder.

(6) Peremial substitut i ope Folizak strongh resinous-smelling. det. M. Nee 187.

(5) Scandent herb growing in

F Crach i water fall in for extent

Pavine below highway. Corolla

tuke and lokes red-overage, with

ventral yellow spot at apex of tuke

t bese f 2 lower lokes.

4483. Mendoncia PUBERULA (MART.) NEES Acantl.

(4) Climbing vine 4 h. tall i.

Forest revines long stream.

Colyx pole green. Corolla white,

reddish-purple in thi.

DET. D. WASSHAUSEN 1988

BRAZIL: Estado Perené. Mun. Balsa Nova practa Serra São Luis do Puruno. VICIN 137 - Com. BR-277. Slong dist roed of Recento Publico to Summit of Serra São Luis. 1120-1180 L. 26 Jan 1985. A1t-ca.1140 un. 4484. Arrabidaea Samydoides (Chim.) Sandw. Bigum Extensive liens among ro.d. Corolla very dank refinale det. A. Gentry 1987. (3) Climbing vine 4 u. tall i forest mergin along road. Stems with letex. Sepelde pele gree. Petals obexistly light green, edexielly devh brown. Corolla creeny white. Stegma brown.

(4) Frequent Shrub 3 a. fall. F Flowers white JAN 2 6 1985

Alt. 1180.L.

4487. Commelina

Erect herb smong shrubs and gresses on pur richy outcrop. Petels blue. Stems red-purple.

4487A. Aechmez distichantha Lemaire Brownel. = 13917 Terrestrial on exposed tock. foto det. H. Luther 1985, > SEL Brezil: Estad de Perens. Municipio de Belse Nova. Balse Nova along right benk of Rio Iguaçu. Alt. 885 m.

26 Jan 1985.

4488. Erythroxylum microphyllum St. Hil.

Jeweler Erect shrub 'In. tall i margin

of low forest along river bank

both strong perture. Leaves shing

F dark green above, very pale grace,

Ny not shing, beneath. Fruits

k lef exist at tips of twigs.

G Fruits pale orange, shing, apparent-

only 2 plants seen

F (4) Tree 6 m. tall i gelley forest mergin. Fruits metallic shing blue. 4490. Erythroxy/um myrsinites Mart.

(6)

fots

margin if galley forest bordering

f pasture. Leaves dark green, dull,

above: pele green, dull beneath.

Sterile.

(6)
F Tree 5 a. tall i galley
forest. Fruits brysht orenge.

BRAZIL: Estato Paraná. Municipio Antonina. Reserva Biológica. Sepitendube. (Populdad le (j. Hatschback). 28 Jan 1985.

4497. Erythroxy lum cuspidifolium Mert. (6)

> Thrub &. 5 m. tall in hillside forest. Truck 3 cm. dismeter. Branches on trunk of ten opposite

Leaves shing dark grew above, shing derk green beneath; som in a slightly ascending with strongly undulate margin. Nerves prominent beneath, impressed above. Fruits few, pele green, 546-unceslate O.

4498. Brunfelsia penciflore (Cham. 4 Schlecht.)

fotos

Story. Fruits few terminal + Soli-fory; Copanle & fourtup caly x F NY light gree.

4499. Erythroxylum cuspidifolium Mant.

(7)

F. Erect Shrub 2 n. tall - forest
os NY understory, on gentle slope. Branches
on trunk mostly opposite. Lesves
25 in 4497.

Sterile. For chem. Malysis.
Seve best sleets for vouchers.

BRAZIL: Estado de Rio de Janeiro.

Mua. Cabo Frio. Arraial do Cabo. Prois grande.

2 Feb 1985.

13918. Erythroxylum ovolifolium Peyr. Erythrox

F Densy brand & Shrub 1. 5 m. fall is open restings 2 mong dunes. Leves dark gren above with pele gree midret; pele gree beneath. Fls. creamy

white. Long-styled plant.

13919. Erythroxylum ovalifolium Peyr. Erythrox. (5)

Densely branched Thrub 1.5 m. tall F i open restinga smong dunes, (leeward side!). Leaves dark green NY

green beneath. Fls. creamy white Short-styled plant.

13920. Frythroxylum subrotund un St. Hil.

(4)

A F Slender shrub 1.5 n. fall in

Ny low, profected areas in partial shade

is open restingen smong dunes.

Lesner med in green with light green

Both midvib j pole green betweeth;

105 milly hudulate. Fls. cream.

Jumeture fruit pole green.

13921. Soroces guilleminiens Grudichaud Morre.

(2) Let. W. Burger 1985.

F. Shrub 2 m. fall i protected

NY area i oper restuiga. Leeves dark

shing green above, pele green beneath.

Jafl. cream with reddich tinge.

FEB 1 2 1985

BRAJIL: Estado le Rio de Janeiro. Município de Niteroi. Morro de Alto Moirão

12 Fevereiro 1985 Coll. T. Plowman, H. C. de Lima, & R. Andresta.

D1+. 13922. Erythroxylum franquisfolium St. Hil. Erythrox

(10) Arbusto alto frondoso com 5 m. Le alfure crescendo na

ne beire do ceminho, semiombrofilo. Folher discolores MO SPF com a margem undulada. Flores MBM pouces cremes. Frutos pouces vermelhos-escuros (vinosos).

Alt. 5-12420

Abundente.

NY

13923. Me Hernichia principis Mikan Arvore-pequens com 6 m. de altura crescindo na beira da onete proximo efloremento

rochoso, heliofilà. Cálice vende clero. Corolla vende ne bese, brenca no tubo e épice.

Alt.

13924. Inga plana (Vell.) I. Alves Legum. det. (. Niezgoda 185.)

± 5 m. Le 2/furz. Folhes brilhentes, levemente dis-Colores. Botoes floreis verde claro. Umbrofila, no beira do communios

13925. Chomelia brasiliensis A. Ruch. Rubiac. det. B. Boom 1985.

(51

MY

Arbnots frondoso com I4 un de 21 turz, crecen de na mete no beiro de cominhor Semi-onbrofilo. Folhes

levemente dycolores. Flores Crewes. Foutes imaturos

verdes.

13926. Erythroxylum frangulifotium St. Hil.

(4)

Arvore pequens com 5-6 cm. de olture crescendo na beira

de meto proxima à efformento rochoso, heliofile. Folher vendes, discolores, vendes, Quedulada ne mergem tratos meteros

bernelhor escuros (Kinosos) Occasional mesta elfitude.

13927. Pachystroma ilicifolium Mull. Arg. Euplorb

Arvore com 10 m. de elturo e 20 cm de dismetro, crescendo

mate; on brofila. Folhes

verdes escuras, brilhantes, no fice dorsal, verde clavo na face ventral. Flores estaminadas

en botão verde claves. Frutos imsturos verde, insturos

marrão.

13928. HERRERIA

LILIAC.

(4)

E.ZARDINI 1991 Subzrbusto con 60 cm de F 2/ture crescendo as mete, Onbrofilo. Folhes vendes escura, concolores, levamente brilhentes, Flores verdes polides.

13929. Erythroxylum gaudichaudis Peyr. Erythrox.

(3)

Arbusto con 1 m. de altura crescendo no meto em cimo de crista, umbrofila, rera (só 2 individuos vistos), rames horizontais, reitas; ramificado desde perto do Solo. Folhes firme- membranees, planas, verdes escuras, brilhates no face dorsal con as nervunas principais un pouro impresses; verdes pélides; pouco brilhentes no free ventral. Flores cremes. Frutos imeturos verde pálidos.

13930. Erythroxylum gaudichaudii Poyr. Erythrox
(3)

F. Arbusto com 60 cm de alturas,
6 u fros dados = 13929.

Morscas
(2)

Her Erva enata crescendo

tem solo no encosta da pedro;
heliófilo. Folhes vende, levamente descolores. Duflorescencia
vende.

13932. Kielmeyera membranacea Guttif.

Arvore Com 5 m- le altura K cres cendo no encosta da pedra, helio filo. Folhes verdes, discolores, brilhentes-Petelas cremes, Estemes emore/2s. Flores cheirosas, perfumides. Fratos imituros verdes.

13933 Tillandsia

Bromel.

truz rhizometica rupicola crescundo en cime de pedra, rupicole. Folhes gris-verdes, meio escures no epice.
Pedunculo verde pellido. Breeteas roses escures.

13934. Peperomia

Piperac.

(2)

Enve cernos à rupicola heliofils rescende en cima da pedre. Tolhes carnos as verdes, discolores. Espigas vendes claras - a mareladas, vendes quando com frutos.

765 4 5 mm

73935. Rhipsalis CEREOIDES (BACHELR. (20tec.)
(2) DET. J.A. LOMBARDI 1989 «VOLL) CASTEL.

F (2cto carnoso decumbente
rupicola heliófila crescendo
en cimo do pedra, Telhor
verdes claros. Flores

FEB 1 4 1985

BRAZIL: Estado de Rio de Janeiro.

Mun. Cabo Frio. 4 km jouth 1 Barra do São João ou road to Celo Frio. Remnents of mote de restinge on east side of road. 14 Feb 1985 Coll. T. Plowmen & D. S. Dunn de Araujo. 13936. Erythroxylum passerinum Mart. Enthrox. Shows or treelet 2.5 m. tall fotos in open disturbed restings along F1-7(A) roed. Leeves medin green aborte, shing, with poligren midrib; shing light green beneath, Fir buds peligren. Immofune fruits peligren. VFIs. crean. G 13937. Erythroxylun glazioni O.E. Schulz Erythra. fulos (8) Erect Shrub 1.5 in tall is desturbed, burned restinga Mo forest. Leaves broadly undulate, dark gree shing shows; very pole gree, dell beneath. Only 10 plants see. Sterile.

13938. Erythroxylum pulchrum St. Hil. Eighton fotos (-6) Tree 10 m. fall x 30 cm. dismeter with light gregist to, flahing back. Le aves shing Ibre, medit to dest green; light gree, shing beneath. Locally commen. 13939. Erythroxylum glazioui O.E. Schulz Erythrax. Erect shrub 2 m. tall in sunny -fotos Torest. Lesver with escending reminde, dech gree sking above, very pell gree, dull, beneatt. rubben subcoriaceous texture. Sterile,

13940. Erythroxylum pulchrum St. Hil.

(4)

fotos Shrub 2 m. tall with long

F spreading horizon tal branches

Ny Starting man ground. Lezon

danh gren shing above; light

grey shing beneath. Lemina

lup curved. Mature? fruits

erect, exported, light red.

Brezil: Edo. Rio de Jeneiro.
Mun. (260 Frio. Aúneção de
Búzios.
Hills 26 re Búzios.
14 Fer 1985.
Coll. T. Plowmen + D. S. Duna de Area

(31. T. Flowmen + D. S. Dunu de Areujo.

13941. Chiococco. alba (L.) Hitche. Rubies

(5)

Exect shrub. In. tall 2 mong

dense brenched shrubs on open

hillside. Stems dert shing brown.

Lis. derh green, shing brown.

Lis. derh green, shing, ebore;

slightly lightly green, shing,

beneath. FTs. Irean to pele

yellon Meture bruits pure

white.

13942. Erythroxylum subrotundum St. Hil. Erythrox.

(5)

F Erect shrub 2.5 u tall

MO on disturbed hillside thicket.

Leeves curved with 2s cendingulate

12minai, derk gren, scercely shim.

pele green, dull beneath with

plee green mid vib. Fl. bads

pele yellow. Frequent.

FEB 1 4 1985

\* 1

13943. Erythroxylun subrotundum St. Hil. Erythrox.

F. Erect shrub I w tall from

Ny Stump - ope desturbed hell
side thicket - Leaves with

soending Ismunae, darb gree

26 ore, paler green beneath,

duel. Sterile.

BRAZIL: Estado do Rio de Janeiro. Rio de Janeiro. Bairo de Gavea. Parque da Cidade. Mata en ema do Museu Historico de Cidade. Mata primaria perturbada. 20 Fev 1985. Coll. T. Plowman Erithrax. 13945. Erythroxylum cuspidifolium Mart. (11)

F Arbusto com ± 4 m. de altura,

Ny un brôfilo. Ramas patentes,

to the verdes bilhantes horizontais. Folhar overdes brillinter CEPEC no free dorsal, verdes muito pélides, não brilhantes na free ventral, ptero o levemente andulado no margen. Esteril. Abundante no subbosque. 13946 Erythroxylum gaudichaudii Peyr. Erythrox.

Sofos (13)

Arbusto con

Arbusto con

Ny G

Ny U crescendo no subsorque, am
us brófilo. Canle ere to com ramas cortas

Mo patentes, horizontais. Folhas dis
GH

Colores vendes es curos "ne face

FEB 2 0 1985

dors d'em à nerve dure impresse; vendu our reledes claves, un pours brilhentes na fere ventral com à margen phra. Flores brevistiles, celenes. Frutos vendes, imaturos. Occisional: (3 plantas vistas).

13947. Erythroxylum occultum Plowmon Erythex.

fotos My 2/ferre crecendo no subbosque,
Mo ombrofild. Remers frondoses,
GH pendentes. Folhes discolores,
werde escures, levemente
brilhantes no ferre dorsal, verde
us pouco mais claro, no brilhantes
no fere ventral, ondo la da no
mergen. Steril. So una planta
vista.

13947A. E. pulchrum elso seu here. foto only Szpling 1-2 u. tall.

BRAZIL: Estado da Bahia. Municipio de Salvador, Road from Itapos to airport.

Coll. T. Plowman & I. C. Britto. 24 For 1985.

13948. Chiococca

Rubiza

(15)

Totos

Event or subscendent thrub 1 to 2.5 in- tall, growing in dense thrub

F-2 G isted i dunes, Leaves corrections, CEPEC brittle, dark green above, light IPA

UP yellow green beneath, shing on Mo

NY both sides, leminal plane or cured Wu K

down wind. Stem yellow green. B US

Colyx gellow-green. Corolla is but

gellon-gree. Immeture fruit light yellon-green, meture fruit white with purplish

Blush.

Lis

13949. Rithecollobin filomentosum Benth. Legu det. T. Ploumon + C. Niezgoda 1985. Wille Shrub 2 m. tall, Leaves F (EPEC Fruit dank brown, light ten RB KNY brown. Seeds white on one end, dark grey or other end. BARNEBY & CRIMES 1988 Erythrox. 13950. Erythroxylum leal-costae Plowmen Show to 2 in. tall growing in CEPEC shoub is land. Branchlets stiff, RB distichous. Los. media to dail K NY green & one with pole green beneath MO 45 ALGS with totaler green venz tra. HRB IPA Florver buds pale yellow. GUA G SP

13957 Protium Burenza Sterub 1.8 m. tall in Shrub CEPEC 12 de Les coriscous, gellowiel que, sonewhat lighten beneuth. Ripe fruits pale red. RB NY HETEROPTERYS ALTERNIFOLIA W.R. Walpigh (4) Scendent lienz 2-3 m. long Emong shruhs on open hilltop. I CEPEC dune: Lesves med in to light RB gren ibre, very pet gren silver, kneath. Frants pete, yellon. MICH Town of Itspuz. 13953. Erythroxylum passerinum Mart. Erythrox. Treelet 4.5 m. tall growing CEPEC Leves but green store with ple green RB NY beneath, sking. Immeter fruits HRB IPA MI US

BRAZIL: Estado da Bahia. Município de Ilhéus. Ramal que
ligo Rodovia BR 415 IlhéusItabuna do povoado Japu. Desvio
2 esquenda, coleta a 2 hm da
entrada. Fazenda Sultão.
Matá estragada. Solo argiloso.
26 Fev 1985.
Coll. T. Plowmen, L.A.M. Silva d
T.S. dos Santos.

13954. Erythroxylum martii Payr.

reflexes. Rara.

Erythrax

FCEPEC RB 31 A NY diss K 4.0 J GALCB Journ ALCB Journ R

Arvoreginha fina con 3 m. de altura, embrofila na mata. Folhas discolores, vendes escuros, brilhantes ha fere dorsal, vendes amarelados pouco brilhantes na fere ventral. andulada. Remas peter tes, horizontais. Flores cremas, com petalas

13955. Erythroxylummertii Peyr. Erythrox. Arbusto com 2.5 m. de elfure, CEPEC ombrofila, ne mata- Remes petenter, RB NY horizontais. Folher discolores, vendes K escuros, brithantes has fere dorsal, HRB US verde smereledos, menos brilhentes SP he fere ventrel. \* Fratos imeturos MBM MO verdes polidos, br. Ihantes -IPA \* mergen ondulada. 13956. Erythroxylun columbinum Mart. Erythrox. Let. T. Plowman 1985. Arbusto 2.5 m. de eltura F CEPEC ombosfilo uz metz. Folhes vendes RB escuras brithentes no fere dorsel, NY K verde polido, menos brilhente IPA ne fece ventrel,

13957. Erythroxylum distortum Mert.

Erythox.

(5)

F CEPEC NY Arbusto 80 cm. de elturo ombrofilo 1.2 met 2. Folher verdes medios, brilhentes he free dorsal verde muito pelidos, menos brilhentes us face ventrel, Sterile.

13958. E-ythroxylu wettos-silver Prowmen Erython

(3)

CEPEC F NY SubArbusto (planta joven) 60 cm de 21ture ombrofilo ne mete. Folhes verdus es curas, brilhentes he fere dorsel, verde clanss brilhentes no fere un tral. Sterile. BRAZIL: Estado do Bahis: Município de Ilhéus. Rama l novo para o Povoado da Vila Brasil, com entrada no ku. 28 da Rodovia Théus/Una, lado direito. Inicio do remal km 3. usto literanez, solo argilo-silicoso. 27 Feb 85. Coll. T. Plowman, L. A. M. Silva zud T. S. dos Sentos

13959. Erythroxylum of mikanii Peyr.

Erythrox

fotos. Frequent shrub 1.5 m. tall in open, horizontal, lying flat.

RB US Leaves shing dark green above; dull,

K IPA NY U MO CH gele glencons green beneath with light green midvib \* Flowers creamy

GH white. James time fruits pele green, bright shin, red et moturity. \* new shoots light green, trens lucent, G P INPA WB

BOTU

concolorous.

13960. Erythroxylum MeHos-silval Ploumen Erythox Let. T. Plowmen 1985 Tell pole shrub 6 m. tall + 2 cm. D fobs diem, branches all near top which Irches over benes leathery, lock F green, slightly shing above; light CEPEC RB green shinier beneathy with pole NY green midrib. Caly x 1, ght green, ML 45 thickened, becoming poler, thinker after sufferis. Fetals cream. Jumstere fruit pele grein. = L.A.M. Silva 1817.

(2) Bentl. CEPEC Event Sepling in Redge of forest clong CEPEC trus. Leaves deck shing green showe with pole green midrib. pole of sucous green beneath with pole gellow widoub. Sterele.

13962. Erythroxylum ochranthum Mart. Erythrox. Treelet & m. tall i forest CEPEC understory. Leves dark gree, rother shing store; pele green, RB dull beneath. Lis. heavily HRB NY demaged. Sterile. 13963. Erythoxylum tenue Plowman Eythrox. Sleuden shrub 1.8 m. tall in margin of this forest. Branching CEPEC que, horizon tal. Leeves dark RB green, string above; pole dull glancous K green beneath. Pedices + calz

K Mo

> Mo U5 pele green. Flower bud and petals yellow-ochre or orangesh. Short styled plant.

BRAZIL: Estado da Bahia: Município de ITheus. Remal novo para o POVORDO de Vila Brazil, com entrada un km 28 da Rodovia IThéus/una, lado direito. Inicio do ramal, km. 7 luzta litoranea, solo argilo-silicoso,

27 Feb 85 Coll. T. Plowmen, L.A.M. Silva + T.S. dos Seutos.

13964. Erythroxylum tenue Plowmen

short-styled plant.

OF CEPEC RB NY

NY GH 58 Sleader shrub 1.5 m. fall in moders tory of this forest. Branches this, how, you all Leeves dank green, shing above; peli green, glan-come have beneath. Pelicel to cely & peli green. Con (la bude and petals dull ovenge. Immetere fruits peli green, ellipsoid-loblongoid on folcate.

13965. Erythroxylum mettos-silver Plowman Tell Stender tree 7 m. fall x 2 cm dismeter in this rather open fotos frest. Branches few, all mean L. top, rother stout, horizontal. GEPEC Back dack brown, fissured's RB UB rings; inner back dark red. NY Leaver sub corieceous, rubbery, HOEFS Sking lash green above, midrib prous minent, knife edged; le eves peli green beneath, Shing, the mid vib Concolorous, the venstion slmost Pedicie Hickened, cream or pel gette, calyx yellon-ochre, ribs greenish. Petals orenge ( incl. flower buds. Pelvill Sumeture fruits pele green, sking, turning block on bruising 13966. Engthroxylum of columbinum Mart. Engthrox.

(3)

CEPEC Shrub (sepling) 1.5 m. fall i

Forest understory. Leaves dark green

Shing above; pale green, rather

Shing beneath. Sterile.

13967. Erythroxy lum columbinum Mert. Erythrox.

(2)

Thrus (sepling?) 1.5 h. tall in

Thrus forest understory. Leeves dark green,

Shing 2 bore, pele glamous green,

beneath with dark fine nerves.

13969. Erythroxylum ochranthum Mart. Erythrox.

(10) Let . T. Plowman 1985

F Slender treelet to 7 on tall X 3 cm

fors CEPEC diameter in this forest, fairly about.

RB

NY

Les to Cown somewhat spreading but

K relatively Swell tople branched.

LERA

Les ness medicing green above, slightly

UB

Shiny; pele green, for dull beneath.

M

US

Stipules rusty brown.

FEB 2 7 1985

BRAZIL: Estado da Bahia: Município de Ilhéus Fozendo Borro do Manguinho, km 12 de Rodovis Pontol/Olivença (BA 001). Mata vales de em solo arenoso.

27 Fev 1985 Coll. T. Plowman, L.A.M. Silvo and T.S. dos Santos

13969. Erythroxylum of mikenii Peyr. Erythrox Show 6 2.5 m. tall i disturbed For Mo forest. Branches this, horizon-EPEC G tel. Leeves shing, dank green RB US above; pele green dult beneath. NY Flowers is bad, pele green.

13970. Erythroxylum mottos-silvae Plowmen Erythrox Skender should to 3 m. tall

i open area i forest 2/ong trail.

Leves shing derh green above,
with light green midrib; light green
Shin, beneath with distinct vension.

Pedical/celyx yellow. Petals pale RB M NY GH M

CEPEC

F

RB

NY K

K MO

UB

U5 5P

IPA

gellow. Steminal Cup cream.

13971. Erythroxylum andrei Plowmon Erythrox Erect shrub 2.5 m. fall i CEPEC disturbed oper hillside forest. Branches still, horizontal.

Leeves dech green, shing showe light gellowish green midrib; Sterile.

13972. Salzmannia nitida Benth.

Rubiza.

Sprawling tong-scendent shrub F-2 CEPEC to 3 m. tall i open disturbed RB thicket. Leeves shing dark green NY

above, shing light green beneath. Buds + inflorescences coulded

with clear resin. Flowers 4 sud 5-merous, dull yellowish. Weture fruits bright red-shing.

13973. Erythroxylum andrei Plowman Erythrox. Large shrub 6 m. tall i CEPEC open sandy cleaning. Several trunks. Branchlets Es cending, NY up curring. Leaves erect, medin G green, & little shing above; light 45 yellow green, shing beneath. Hower buds cresm. Immature green. Occasional is open disturbed areas or hillside. BRR51L: Estado de Rio de Janeiro. Jacare pagnas. Vargen Grende. 4 Mar 85 Philodendran "sente leopolding" det. S. Mayo 1986. Cult. epiphytec herb originally F collected in Suta Maria Magdaleua. Tuvende lesves dank green store, shing; paler green beneath with purplish cost

MAR 5 1985 USA: Florida: Dade County Miami. 5 Mer 1985. gorde of Alle Fernandez, 6834 SW +8 Terrace. 13975. Chamedres glancifolis Palmer seed-Sione Cult. Stender palm 3 m. tall. Leaflets dark green above, somewhat lightle gree beneath. Fruiting in fructesome rechis bright ovenge. Fruits shing block. 13976. Acchmiz gamosepala Withmack Brownel. Cult. borneliad grown a I mestine rock. Bratis cream. Celyx Cermine puit. Begon. 13977. Begonis Cult. herb with decumbent fleshandten. Petrole erect. Lettes Demi-fleshy, Lack green 260re, very pole green beneath With yellow green nerves. Pedumle tunged put. Overy + setals white. Stigmes deep yellow.

Begon.

(1)

Cult. Lerb w. H. decumbent flesty

Stem. Petroles erect, light gree

with gred streshes and white Loirs.

Lesnes dark green above, spotted peupler

black at lokes on the many; pele green

beneath, sp. Hed dark red along herves

her manyin. Flowers pale pinh.

13979. Begonis HERACLEIFOLIA SCHLECHT. Begon.

(1) DET. K. BURT-UTLEY 1988 & CHAM.

F Cult. Luch with fleshy decumbent

Stem. Petish + pedemela pela

gree, heavily spatted with dark red
and with white having Leaves dark

green above, pela dull red beneath.

Bracts pela red. Flowers white

with tings of puil

13980. Euphorbis milis Desmoul. Euph.
(1) Cutt. armed shrub 1.5 m. tall with

f tex. Leves dark gree showe
light gree beneath. Brack rose pinh,
gland deep yellow.

3304 Sundt Ave.

13981. Chanaldores oblongets? (INFRUT.) Palmae

(2) C. ELEGANS MART. (LEAF & INFLOR.)

Cult. Slendlipsh 1-2 m. tall.

Seed-Sine lissus dark shing green above,

Concolorous, Juli beneath.

F. & Jufls. 3 or more, rechis green,

flowers light yellow. Fruiting

prehis bright ovenge. Fruits

612ch.

13982. Dreceens compectain Liliere
(2) Cult. Tree let 3-4 h. fall with

Franching branching. Flowers in bud.
13 + dull brown.

13983. Chemse dores SARTORII LIEBM. EX MART. Polmee (2) Cult. Stender palm 3.5 m. tall leaves F-2 hedring que above, dull; lighter green, somewhat shing beneath-To fl. axis pale green. Fls. white. DET. D. HODEL 1990

13984 Dianella caerulea Sims Lifiac.

(1) Cult. rhizomotous Lend. Fis. nearly

F white with bluish tinge. Authors

yellow-ovenge.

## The Kempong.

Con Hif. 13985. Gercinia (8) Celt. free 12 n. tall x 30 cm F DBH with yellow sep. Lesves some -GH What shing, med in green above, slightly lightle green and less shing beneath? Flowers waxy, light yellow. New leaves red, shing. BISH MO

Chicego, Ill. 20 MAR 85 Freesure Island Calcalaria crenatiflora Car. 13986. Cult. herb. Flowere bright yellow with dark red spots.

1398 f. Chamelaucium uncinatum Schouer. myrt. pinh, derk red within. det. P. Matekaitis 1985.

F BH

F

BH L

| 13988-<br>( ')<br>F | 831 W. Buckingham, Chicago. Mar 30, 1985  Crocus 'Snow Bunting  Herb. Fls. White; Striped violet within |
|---------------------|---|
| 13989.              | Iris denfordise Boiss. Bulbous herb. Ils. yellow.   |
| 13990<br>(1)        | 7 Apr 85  Tris_reticulatar M. Bieb,  FG. deep 6/me-violet stuped  yellow in certer of pertals.          |
| 13991.<br>(2) F     | Helleborus  Perennial herb. Flowers  greenish white   |
|                     | Helleborus viridis  |
| 13993.<br>(1)       | Flowers light blue volet.   |

|                 | 14 Apr 85  |
|-----------------|--|
| 13994.<br>F (') | Triendrus  Delicate bulbour herb. Flower pele sky blue or pele violet.                                 |
| 13995.<br>F (1) | Tulips turkestenics Regel Flowers pele yellow to cream, Gellow et center. 30 APR 1985                  |
| 13996-          | Tris reticulata M. Bich.  Sterile plant with mature  (erves. cf. 13990                                 |
| 13997<br>F (1)  | Sterilé plant with mobine<br>beves. Cf. 13989.   |
| 13998<br>F      | Tris  Duerf vhizomatous iris.  Fls. deep blue-violet.  Lilise  |
|                 | Ipheion uniflorum (R. C. graham) Rafin<br>Cult. bulbous hert. Flowers<br>pale blue with white centers: |
|                 |  |

14000. Norcissus friendrus L. subsp. Amayll.
(1) Pollidulus (Graells) D.A. Webb. CV. April Tears' nodding, pele yellow. # 5 may 85 14001. Tulipa clusiana DC. Liliac.

(1) Cutt. bulbons herb. Tepala

F light yellon, abaxially pala

Fed with yellow margins. 14002. Asperulo deroto L. (1) Sweet Woodruff.

F Cult perenwal herb.

Flowers white, fregrent. Rub. 19 Apr 85 14003. Vince minor L.

(1) Trailing prostrate vine.

F Flowers reddish purple. Aprc. (1) Cult-bulbous herb. Flowers F - For light blue.

Tulipo turbestanico Liliaco. Cuet. bulbous herb. Flowers 14005. Talips turkersinics pele yellow or creem. 8 May 85 Field Museum 14006. Solandra Cult. scender t shruh, 12. (1) tell. Single berminal fruit F conical - ovoid, creamy white. Frenk white, rather muci legenous, sweet but not Exty. Seeds block, expanently infertile left-polinated see 8036/ for flowering spleine. 831 w. Buckingham - 19 may 85 1400 F. Senguisorbe minor L. Rosec. (6) Cult. Perennal herb 80 a fall. F from commercial herb fource. Flowers green. Auther cream-Pistils red. 14008. Nercissus Boby More Ameryll.

1) Cult balbour herb. Flowers

deep yellow

27 may 85 - cult. Chicego. 14009. Digitalis lanata E.F. Ehrh. Serghi Perennial herb - Coly x gree. Corolla tuke u. thout plan with pele from retirulate petter, BH gellow within with some politic. MO I Lip pule white. Ex mo- But-garden. 140 w. Al/ium moly L. Lilia. F Cult. 6-16ous herb with Hoong onion smell. Flowers bright yellow 14011. Paparen orientale L. Papar. (1+1) Cult. cespitose Lest. Petals F-2 red-orange with down brown Spot edexially near base.

Bil Stamens don't purplish

boron (

(1) Cult. rhizomatous perennal Lerb. Corolla pure white. Filzments greenish white. An there pale yellow. June 8, 1/85. New Hampshire 14013. Robinio hispida L. Legur (2) Cult. shows 1.5 m. on open F ... steep vos & bench. Flowers pele. W. pink to pele vose, turning bluish Lŧ on drying. Univ. of New Hampshire, Durham. 14014. Taxus canadensi's Marsh. (3)Showb or smell tree to 3 m. F toll i open woods on gentle LE CORD stope. I + & comes on some plant.

Gilmenton Ivon Works 14015. Philonotis fontana (Hedw.) Brid. Moss. side i send, soil. ( ) F Cult. Woburn, Mess. 14016. Disocactus

(\*) Cult-epiphyte. Flowers bright

Fred. Fruits globuler, dermente

24 moturity. Univ. of things 15 June 85 14017. Begonis polygonoides Begon. berb. Overy pale green, Tepals white pele point near spex, Styles gellow tipped red. 14018. Justicie carped Lindl. F (') Evet herb 60 cm. Fls. Vose pich. H. E. Moore
14019. Sinningia mecropoda (T. Spregue) (Tesner.

F ( U (ult. herl. Fls. pele red throughout. S. LINEATA (HJELM.) CHAUTEMS
DET. A. CHAUTEMS 1989

23 June 1985. Chicago. 14020, Opuntis humifusa Ref. Cectec. F(1) Cult. Cectrus. Peds dark green. Flowers light yellow. 14021. Fantedeschis albomaculata (Hook.) Baill. Arec. F white, turning green i fruit. 3 guly 1985. HUT (4) Cult. Lerb 2 m. +aU. Petals
THES White. 14023, Tigridis pavonis (L.f.) Dc. Ividac. F (1) Cult- bulboux herb from commercial source. Flowers creamy yellow. 7 July 1985. 14024. Origanum vulgare L. VEN INPA 7EX Flowers pale lilac. HUT BH MG RB Verbens stricts Vent. 14025. Adventive perenniel herb in gerden F-2 to In- tall. Fis. pele violet.

14026. Papaver Papav Cult. perennial or no mental To To en tall. Petale deep vid Mo shing, flower eppearing somewhat 14027. Solvis Officinalis L.

(2) "Sege"

Cult. suffruticase perennial

herb. Folioge aromatic. Flowers

light vislet: HUTT 14 July 1985 14028. Maclege cordeto (Willd.) R. Br.

#(3) "plume poppy"

Tell glamous perennial herb

INPA to 2 m. Flowers creamy

Ny

White: with relater constant white with yellow sep. 14029. Anethum graveolens Li Umbelly.

(3) Strong-smelling herb cult. il

INPA garde. Flowers yellow,

14030, Acidanthera bicolor Hochst. Iridze. Cult. Tell herb from corn from (1) F Commercial Source, Flotal tube light black spot of base Filamento white. BH Authers reddick brown. Very fragrent. (2) Cult. from seed. Vinings

F herb. Legals yellow. Petale orange,

BH derh red at base. 14032. Hemerocallis fulva (L.) L. Liliaco (1) Cult. Herb with fleshy voots F forming clumps. Tepels sebexielly
pele yellow-green, 2dax:2/hy deth
jurphish-bronze or coppeny. 14033. Hemerocallis fulus (L.) L. Liliac. (1) Cult. herb with flesh roots F forming clumps. Tetels light Temon yellow.

(1) Common foxglove F Cult. buennial herb. Scroph. Capsules light brown. 14035. Artemisis absinthium L. Comp. 1+2 Cult. perennial herb 80 cm. BH fell. Cy: tula yellow, HUT 14036. Echinops Comp.

(') Hest 1.1 n. fall. Flowers pale

F blue. 14037. Crocosmis mason.orum (L. Bolus) Ir.a.

(1) N. E. Br.

F Cult. Leub. Flowers orruge. Tr.d. 14038. Treps noteurs L. Trepse.

(1) Cult- in squarium.

F F15- greenish. Frs. germinated Stored is water in reprigerator over the winter

14039. Allium (2) = Sporteneour - garder. gerlie-BH Smelling herb. 14040: Zante deschis rehmannii Engl. Arec.

(1) Cult. herb. Spethe pele puch.

F Spedix white. Spethe turning green in fruit.

A. v. puch cella lily 14 April 1985 - Chiczgo. 14041. Narcissus (1) (ult. Lend from commercial bulbs. Fls. deep yellow 28 July 1985 - Chicago. 14042 Eucomis bicolor Baker Liliac. (2) . Bullous herb from commercial Jource. Lever medium green m BH both Surfaces. Petiste Zd = bexist midrib pole green with dark purple Spots. Pedual yellowish green with dock purple stripe. Tepels
pole gree with this jurgle morgi.
Filements purple, outhers pole gellans Course breets pele jue. l'en purple.

14043. Gladiolus Ird.

F (1) Cut flowers purchased i produce

Market Flowers dep violet. 14044 Begonia
(1) cult herb from fleshy tuber.

E leznes med in green with brownish tinge, the veries lieghter green; pale green abexizely with reddich tringe. Bracts pole green. Texals deep lemon yellow, Styles yellow-orange. 2 Aug 85 851 W. Buckingham 14045. Digitalis laneta E.F. Ehrh. Surgh. (1) Perenniel sceptse herb. F Coppeler brown. See 14009 for flowering specimen. 7 Aug 85 USA: Michigen: Outonegen Co. Porcupine Mts. State Perk. 14046. Halenia deflexa fin.) Grisel. Gentione. (2) Slender herb growing on dis-F tubed nis it landstide i forested WU roune. Flowers light yellow green, opens purplish.

Labiet. (1) Herb In tall i open gressy F mes dow slong Presque Iste River beside the Superior Flowers pele red-violet.

Elsergn. 14048. Shepherdis consdensio (L.) Nutt. ( ) Low shrub I w. fall on rocky outerop i dry woods over loshing take If the Clouds Buds rusty brown. 14049. Dires poluotris L. Thymelete.
(1) Erect shrub 1.5 n. tall is Frich moist words on slope. I above trhe I he Clouds. Sterile. 14050. Companilo rotundifolio L. Companil. (1) Delicate slender perenmal F herb growing from ledges slone Presque Isla River. Flowers light blue-violet. 14051. Solanum dulcamara L. Solonse. (1) Viny show held in open roedarde F thicket slong Black River. Corolla

some white. FRS. green.

f (1) Frequent sedge on mud benche slong Like Superior. Fruits orange. 15 Aug 1985. Florido: Ala Chuz Co - Morion Co. Line. Rt. US441. 14053. Vernonia gigantea (Walt.) Trel. ex Branner Comp. (1) Herb 1.5 m. tall i gen Fyrery rosdide. Rays insquita. Let. M.O. Dillon 1986. 14054. Quercus Fagre (1) Tree s n. tall in mergin 14055 Desmodium det. (. Niezgoda 1985 Legum. (3) Wir, vine sung hlibs E i open greery roadride. MBM Flowers inegenta. 14056- 16 Aug 1985. Selly Butomeal all cutivates gardens, Sarasota, Florida. 14056. Crimun Amangl. (5) Cult lerge her 2 m. tall. F Sten 40 m tall. Pedumle SEL flettened, light gree exceeding

the leaves. Pedical and ovary light gree. Floral take pelo gelowsh gilen . tepale white. Filamento and style white et bese, distelly magenta. Pollen yellow- orenje: I was true fruit greenish yellow, Shing 14057. Anthorium Jances Sodiro det. T. Crost 1986. () Acoulescent. Petrole terete, F medium gree. Lf. blade dert gree + bullete above, duel, pele gree slightly sking beneath. Pedunch pole green, subterete with 3-shallow wing. Spathe reflexed, very pale green with faint purple tinge forward spex. Spedix yellow: Medison et al. 5292. Ecusdor: Oui to. Purchased from street vendor. SEL 78-1238. 14058. PL: lodendron Arec. Acculescent, rosulate herb. Petiole ferete H. gren. Leef blede med-green, slightly sking

(2)

F

SEL

beneath. Spothe "green in lower's, with creamy white is upper 2, with fragrant Sp (odar of gardenia!). Spadix: & part creamy white; I part dull salmon colored.

Ecuador: Pichiacha. Centinela

5/0 m.

5EL 91-1976-31

det. T. Cront 1985.

14059. Anthurium Dorobates Sodiro Arac.

(1) Erect herb with frunk 60

F con long. Retrole O in crosssection, dark green, dull above,
very pele green, rather dull
beneath. Pedurale ferete.

Spethe and comma true special
light yellow gree. Ma ture

spedix purphish black.
Ex: Peru: Herénuco. Ri. Monzón.

Prowmen 5900A.(?)

SEL 72-1976-2

Arac. 14060. Anthurium Pohlii (1)Erect Lerb with stem 15 cm. F long. Petiole o i x-section Jight gree. Lest blade medin green somewhat shing above and below. Peduncle elliptic i x-Section. SPethe event, pole green. Spedix pele yellow-ovenge; in fruit pele green. Moture berries translucent white. Ex: Ecuador: El oro. Piñas. SEL 79-1293. Arac, 14061. Anthurium F Rosulate Lest. Petrole O i x-sietin, pele gren; Blede dark gen sking above with yellow-green midvib; very pele yellow-green sking beneeth. Pedimele terete, pale grew with rose blush. Spathe stexially pole rose-pinh, abaxiely belo gren. Spedix very pole gren. SEL 77-2128. Ex: Ecuador: (zrchi. Maldonado.

M. Madison 3961. 1400 m.

14062. Xan thosomo plowmenii Bogner Arac.

(") F

Herb with 3 leaves. Black derk gren 26 ove with whiteal boirs very pale gree below Sterile sometimes with medial white stripe. SEL 80-362

Ex: Brazil: Pará.

Plowmen et al. 8460.

14063. Chlorosp=tha longipoda

Arec.

Here with decumbent stems.

Leves velvety lash green above, very peli green beneath. Spathe peli green. Sp. dix pale creamy yellow. 15EL 82-517

Ex: Ecuador: Rio Napo- Anangu.

Besse 1638.

14064. Kanthosoma stenospathum Madison Arac. (#1) Klob with stem 30 cm. long. with milky zp end yellow orange combium. Leef blade medin green dull zbore, very pale green Somewhat Shiny beneath with darher gree venation. Spethe pele 1 SEL 82-556. Ex: Pelu: Huénuco. Le Divisoria. Flowmer + Schunke 11294. 14065. Kenthosoma stenospothum Modison Arac (2) Same date es 14064. F SEL 78-1615. Ex: Pero: Hushuco. La Divisoria Ploumen s.n. = Madison 6969 = TYPE, 14066. Philodendron quito ense Arac.
(2) (1.m. hing herb with stem 1.m. F long. Petrole terete, H. gree. Lf.
SEL blade shing, med. gree above, Shing gete grew beneath. Sp. the dell grew. Sp. dix cream,

with odor of mango or turpentius SEL 74-1974-30. Ex: Ecus dor: Pichincho. Rio Polenque. 14067. Anthurium bolydectylum Medison Are

(1) Type stent

Clinking epiphyte. Petiole

greyist gren. Leef blade Shing

gellowish gren above; pole gren

Lull beneath. Sterile. SEL 62-1976-1 Ex: Peru: Humaco, Tingo Maria. Plowmen + Kennedy 5769. 14068. Authurium Sp. nov. Arac. Acaulescent herb I w. fall. Petrole terete, light gree, pulvius yellow; 6/2 de medicin gree, sking store, sell pele yellowish green beneft. Redunde levete! Spethe Shiny, med gree. Spedix dark purple-block. Poller creany white. M. two fruits purple blech, det. H. Crost 1986,

JEL 78-1149 Ex: Ecuador, Prov. Napo. Limoncocha.

14069. Authorium sp. nov.? (1) Some dete 28 14068.

Arec.

SEL 78-1126

Ex: Ecuador: Prov. Naps. Limoncocha.

det. T. Crost 1986.

14070. Anthurium Senc.

(1+1) Hert with short sten. Petrole

F terete, reddish brown: shing yellawst pulvinus; if blade dark green dull above; outher shing, light green breath with yellowish major vervee. Cots phyll light green. Peduncle terete, olive green. Spethe light green. Spethe light green. Spethe light green. Spethe nearly white.

14071. Anthurium 12 ciniosum Sodiro Arae.

(3) det. T. (rozt 1986.

Climbing herb. Lesner dull,

SEL dark grand, shing pele green,

NY beneath; petrole pale green,

Terete. Sterile.

SEL 77-2100

Ex: Ecuador: Prov. Pichincha.

Allurguin. 900 m.

M. Madison 4044.

(1) Each herb with short stem.

F Petiole terete, light green. Lesver Sorragate, med-green, dull above, polar green, rother Shiny berelath.

Redmile and spathe light green.

Spedix Land pumple.

SEL 79-2020 Ex: Ecuador: Prov. Cerchi. El Pailón.

det. T. Crost 1986.

A: RIVULARE SODIRO
DET. T. CROAT 1997

det. T. Crost 1985. 14073 Authorium incomptum Madison frac Clinbing herb with coarse horizontal alrial roots with light yellow-green tips. Petiole tereti med. green he of blade dark green Shing above; slightly peler green Shing beneath. Fedurale light green. Spethe light green. Special SEL 15-1976-43 Ex: Ecuador: Lojo. Zamora. M. Madison 2114. 14074. Authurium trinerue Arec. Sprewling short -stemmed herd. F SEL Petrile & i x-section, dull pelish green. Blæde danh green dull above, peler green dull beneath. Pedunch somewhat sugular, peli gree. So the pele geen. Sp. du very pele gren, turning creamy white in fruit. Ripe Prints pure white SEL 80-1263 Ex: Surinam. Ron Determann 34.

14075. Anthurium trinerve Mig. Are.

(2) det. T. Croat 1886.

F Sprewbing herb 60 cm. long.

SEL Sten + petroles glancous, grey-green.

Petrole O: x - section. Blode

darh gren, dull above, some paler

green, dull beneath. Pedentle

terete, olive-green, sp. the pale

gren; sp. der greenish white

teraing very pele (bluist) green.

Hen lavender. Fruits white.

SEL 83-359

Ex: Ecu. dor: Prov. Napo. Rio Mapo.

Lopuna Taracoa. 250 m.

14076. Authurium (Tetrospermium) 57. nov?

(2) Scandent herb 60 cm long.

F Petrole O i x-sectis pale

SEL gree. Blade darl green velvely

Shove; light green, \$\mathfrak{F}\_{\text{shiny}}\$ shiny

beneath. Pedemele terete, light

green. Spethe light green. Spedix

5EL 78-1613

Ex: Ecusdor: Prov. Cerchi. Chical.

1200 h.

det. T. Croat 1986.

14077. Anthurium trinerve Mig. Lrac.

(1) det. J. Croat 1885.

F Semi-crect herb. Pe tribe O

i x-section, of we green. Blade

sking, Lark green 26 ne lighter

green, \*sking beneath. Pedemede

terete, of ive green. Spothe, light

green with white margin. Spetix

pole greenst green. Styles cream.

SEL 83-368

Ex: Ecuador: Prov. Napo. Rio Mapo.

Lupuna Taracoa.

14078. Pessiflors

(2) Vine thoug fence. Bracks

F light gree. Sepala abexielly

AAU yellowish greu, adexially blue—

Violet. Petals violet. Corona bands

White + red-violet at base, apically

blue-violet.

14079 Anthurium kunthii Poepp. Arac.

(141) det. T. Crost 1985.

F Climbing herb 1.5 m. long.

Petrole Terete dark gree; blade

(med. green dull ebre; palergreen

2 little Shiny beneath. Pedimele

brown. Sp. He coppery brown.

Spedix grey.

SEL 4-1976-6

Ex: Eenedor: Prov. Nepo. Dureno.

14080. Anthur, in f. cresipes
(2) clubing herb. Petrole

F med. gren O i x-section.

SEL Lf. Blade undulate, slightly shing, med. green 2 bove; polar green dull beneath, Pedinicle terety

Sethel corraceous abexiells

It green; 2 doxielly lark purple grillist = pex. Spedix dark purple. Juinature fruits

gren.

SEL 80-554

Ex: Braji: Bahia.

Plowmer 10059.

14081. (yrtosperma johnstonii (Bull) N.E.Br. Arze. (3)

Tourse scanle scent hert 1.5 F

a. fall. Petrole to bundled light + dark reddish burn with dell greenish "spines: Lesver light green on both surfaces, some what shing, Pedinale reddish brown with dark brown

Spit and spines. Spedix stexially blackist, somewhat shing; odextely

pele brownish gree. Spedix very pele purplish brown with

cream stigmes. SEL 77-2912

Ex: Pecific Orchido.

14082. Remusatia vivipara (Lodd.) Schott Arec.

Stemless herb for bulb. Petiste pele green. Leef blade

to med green store, to then shing, with the yellow-green marging

pele gren, Sting beneath pedenule reddish born. Bulbils yellowish boom. SEL 78-2041

14083. Lasis Spinosa

(1) # Erect herb with short

F ofem. Petrole and peduncle shing med. grele. Leef blade med.

green above, dull; light green, Shing beneath. Old spatial brown.

SEL 53-1975-12

Ex: Tadia

14084. Authurium oreophilum Sodiro Alac.

(2) Hert with short she.

F Petiole and pedinele terete,
light green. If blade med-green,
slightly shing above and beneath.

Spethe olive green with thin dark
jurgle mangin, Spedix purpleblack.

SEL 78-1181

Ex: Ecuador: Prov. (evchi. Lita.

600 m

det. T. Crost 1986.

A. RIVULARE SODIRD DET. T. CROAT 1997

14085. Authorium thotzky mun Arre Erect herb with short sten. SE( Petrole pele gren, O i xsection. If blade dark green midrib; hedrin green, dull beneath with pele gree midvib. Peduncle terete, light green. Spethe gellowish gree. Spedix brown. Ripe fruits purplish blue-blech. SEL 80-555 Ex - Brazil: Bahia. Plowmen 10/26. 14086. Acschynanthus boschianus Are Treiling herboclous ume. F Leaves fleshy, dark green shing above very light green beneath. Calyx shing light green to coppery brown. Carolla light red.

SEL W. S.A. Ex hort- Waimes 1+ 74P1498.

14087. Deschynauthus parcifolius R.Br. Gene. F traiting vine with flesh, light green leaves. Dumature fruits light yellow green, SEL (W-2124) ex: Indonesia, Beli, Bodugel. Asclep. 14088. Ceropegio (4) Succellent vine. Bese of SEL florel tube pole green; Upper part white with green spots. Top of BH MO "hat" pight yellow green; under-side f"hat" pale green spolled with darker green to provinced Spots. (1) Euch skibshrub In. tall.

F Fls light red det flowmon 1986. 14090. Poktulaca Poktulaca Poktulac.

Hoya imperialis Lindl. Asulep. Long-scendent vine. Lesnes light gree obre, yellow-green beneath. Pedical pele greenishpetals abexizily ten, adexially pole brownish purple. Corona cream. (2) DWENT MULTON (DET. DIHODEL 1990) Dwerf pelu 30 cm fall. Just exis light overge, zring SEL Seeds shing black. Coll. A. Meerowet al. Costo Rica. Las Cruces. May 1981. 14093. Juanulloz Solen. Scendent epiphytic Shrub 2 m. zeross. Leeven derh gree Sting shore; dull light Green beneath. Petioles light yellow-orange. El. buds overige. SEL 78-1096 Ex: Ecuador: Prov. Mapo. Limoncocha. Madison et al. 5488.

14094. Dieffenbrehio stenophylla Madison ined. (1) Eurt herb. Leeves light green, on 6. the surfaces, dule. Spothe of green, yellowing in frait.

SEL 77-2242 Ex: Peru: Dept. Loreto. Pebes Plowmen et al. 7057. 14095. Philodendron rugosum Arac (1) Clinting herb. Petisle terete,

F light green, shim, Lest blade

Corroccous, dark green, somewhat

Shing above: light green, dull

beneath. Sterile. SEL 78-540. Ex: Ecnedor: Prov. Prestaza. Puyo. 14096. Philadendron panduriforme Schott Arac. Clinking herb. Petiole terete F poli pen slotched with slightly S EL derher green spot. Lf. blade med. green, dull 26 me; pile green dule beneath. Spothe pele green, Thing.

14097- Philadendron distantilobum Krause Arac. (3) dt. T. Croat 1985.

F Short-stemmed epiphyte.

Stel Petioli terete, dark gren. Leaf
blade dull, dark gree above:

Smewhat lighter grein beneath
with pale yellow lateral herves.

Sterile F SEL SEL 80-585 Ex: Brzil: Paró: Tucuruc. Plowmen et al. 9553A. 14098. Philadendron Rosulate coiphyte. Petiole O i x-section, very pele green with slightly derker green Spots. Heat blade derk green somewhat shiny above with yellow green widerib; light yellowish green beneath, slightly string. Cotaphyll pele green, reddish at middle with yellowish kells. Spathe pele greensh F brown in lower helf, It yellowish green in upper helf, red-purple within . Speak cream, no notable odor.

SEL 75-1976-2. Ex: Peru: Dept. Sen Marti. Roed from Terspoto to Yurimagues. "Plowmen 5/38.

14099. Arisseme of wrayi

F Takerous herb. Lezver sting
light green on both surfaces, petrole
light tan, mottled snakelike
Pedunele pale green. Spathe pre
green. Overries green. Stamens purple
Appendage light yellow green.

SEL 84-298
Ex: Malaysia. Sabah. Roman. 1650 m.

(2)

F Climbing herb. Petioles light gren,

SEL strongly compressed. Lf. black dark

gren, this slightly shing above; light

gren, shing beneath. Sp. the reddish

It maturity.

SEL 77-2120.

Ex: Ecuador: Pm. Pichincha.

Rio Pelenque. M. Madison 3833.

14101. Philodendron

(3) Chubing herb; stem with

F persistent (stephylls. Petiole O

SEL Li cross-sector, olive green.

Leef blede dull, dark green above;

slightly shing, yellowish green

beneeth. Spethe creamy white

tinged reddish in lower trey.

Spe dix cream.

SEL 78-1599.

Ex: Ecuador: Prov. Corchi. Chical.

1200 m.

14102. Philodendron

Arec

(1) -

Climbing herb. Petiole flattened very pele green with dark green wingled wargins. Lf. blade bark green bull above; light green, dell bealett. I musture spakix light green. SEL 79-2008.
Ex: Ecuador: Carchi. El Pailon.

800 m. Madison 7264.

14103. Philodendron tenue C. Koch Fran Climbing herbwith persisting cent green, finely striste lest blade SEL dash green, rather shing above; lighter green, slight shing beneath. Pedunde end bese of spedix comine. lower helf of spedix dark grew with whitish dots; upper half pith of lower helf pole pinh, cream in upper helf. SEL 78-2068. Ex: Ecuador: Prov. Es meraldas. Lite. 600 m. Arac. 14104. Anthurium corrugatum Erect herb with short stem. Cotephy 11 pele greenish white. Petrole subterete, med. green. Leef blede yellowish green shing above gellowish green dull beneath. Peduncle terete,

med-green; spethe erect, sking,

pale green. Sp. dix pale greyish SEC 77 - 2967 Ex: Ecuador 14105. Philodendron tenue C. Koch Arza (2) Same data as 14103. det T. Croat 1985. f (2) SEL 78-1610 Ex: Eenedor: Prov. Es mereldes. Lite. 14106. Philo dendron gracielae Arac (3) Climbing herb with aerial F roots encircling support. Leeves dech green, shing above; lighter green, shing beneath stem shing SEL NY derh green. Peduncle and best of spathe light green. Upper part of spathe creamy white : 9 part cream. 56L 79-1579 Ex: Bregil: Amozones. Tobetingz. L. Besse 2023.

14107. Vique unquiculata (L.) Walp. Legum (2) Vine trailing on ground Leaver dark green above, pale green beneath. Moture fruits purplish FBA Souropus androgynus (L.) Merr. Cuphorb. 14108. (1)treelet 2 m. tall with brech herbaclourstems. Mature flowers dull red. u.v. Philippine Weld-grown in edible plent gerden. 1410 9. Anthurium antrophyoides Arac. Compact herb. Petiole sub-F Ferete heet black very dark green SEL Thing above; light gellowish gree, less shing below. Peduncle Subterete, 119 ht gren. Sp. the wexy, white spesies cream. 55 L/81-2578. Ex: Colombia: El Valle-Buenaventura.

14110. Chlorospatha

(1) Each herb with stein 80 an

F tall. Les f blade light green above,

peler green, dell beneath. Lower

pert of spathe light green upper

pert cream. Pedieneles light

green.

566 79-178

14111. Chlorospotho Etropurgures

(2) Erect herb 1.5 n. tall.

F Leef sheaths & petiole purpleSEL black. Leef black dark green,

velvelyabore; set deep purple

dell beneath. Pedrusele
and base of spathe yellowish

gren. Upper part of spathe cream

Basal third of spadix orange; middle

third creamy white with red-purple

sterile of flowers; apper third creamy

yellow.

SEL 91-1976-33

Ex: Ecue dor

Centinela. Stom.

Arac. 14112 Spothiphyllum Chapitose herb. hert blade light green above, tull; yellowish green. dull beneath. Spathe light green. Jumsture fruits and spadix gelli. SEL 77-2213 Ex: Ecurdor, Pichincha. Rio 12 lengue. 14113 Cercetis congoensis Arec. Scandent herb. Sterile. SEL 84-356 Ex: Hort. Munich. Arac. 14114. Spothiphyllum Cespitose herh. Leef blade med. Prelen, dull stove; pele green, dull beneath. Pedenicle med-green. Spethe yellowish green. Species

SEL 82-457. Añangu. Ex: Ecuador: Napo. Besse 1578.

14/15. Homalomena pygmaca

Avac.

Cexpitose herb. Stems, petioles, peduncle and Spathe Lull red. Spedix cream.

SEL 79-1442 Ex: Malaysia: Kuala Lumpur.

14116 Stenespermation sessile Engl. Arec. cret herb. Petroles medium (1)gren. Leef blade dark gren, sking zbove; fyellow green, dull beneath Spedix dull yellow. SEL 77-218/ F

Ex: Panama: El Valle. det. T. Croat 1985.

1417. Stenospermetion longipetiolatum Engl. Arae. (1) Suberect sprewling herb. F Leef blade dark green, slightly Shing above, lighter green, shing be neath templaced Ste L 44-1976-48. Ex: Eenodor: Pichincho. Rio Polenque det. T. Crost 1986 14118. HOMALOMENA ANGUSTIFOLIA/PYGHAEA Arac.

(1) DET. D. NICOLSON 1988

(1) Cespitose herb. Lest blade shing wed-green above; pale dull gren beneath. Spathe green turning resmy (sellow). Cresmy yellow 81-1855 SEL 81-1855 Ex: Malaysia: Kelantin. 14119. Aglsonems pictum

(t) cv. Tricolor'

Erect erect herves varuegated
above, spotched pale grey gren, Arec. charteline and dark green; dull pole green beneath. Spethe yellow green, shing. Spedix cream.

SEL 81-1207

14/20 Agleonema

Arze

Erect herb. Leaves pale greygreen above, light green, Shing beneath. Spedix creamy yellow in fruit. Imm. fruit green. SEL 84-82

14121. Dieffenbachis seguine (L.) Schott Arac

(1) det. T. Crost 1986. Erect coarse herb I m. fall. Leves very dark green, dull above,

peli gree beneath. Immeture sEL 79-90

Ex: Ecuador: Napo. Auca. 240 m.

14/22. Diefferbachia Apoc. (2) Erect coarse herb in tall. F Petro's and stem tark gree. set hed blede dark gree, slightly sking some with occasional below. Pall yellow-green spots; spotis; spotis; Florido: Jorasota Co. Janasota. 18-Aug. 85.

14/23. Dactyloctenium <u>aegyptium</u> (L.) gran.

(3) Grus in weedy open 1.t on

F sand. Let. G. Davidse 1987.

MO Florida: County.
Myshles State Park. 14124. Cerstophyllum demersumbs Ceratophyll (4) det. R. Haynes 1988 Frating agnatic Lerg: COSH Lake Myskites. 14125. flydrilla verticillata (L.f. ) Royle WA F Florting herb i Leh Myskha.

SI M det. R. Hzynes 488.

14/26. Tillandsis setacea Sur. Bramel. (4) Epiphyte ou bev branche, F of live oaks a mundated oak-K shalpala forest along tive. Bracto MO RB /19ht gree. Con/la pale levender. det. C. Nieggoda 1985. 14127. Paspalum fluitans (EII.) Kunth (7ram.
(3) Flasting grass at edge of
Former deur reverbank thickets.
Mo
Alt. G. Davidse 1937. 14128. Hibiseus grandiflorus Michx. Maluse. (3) Erect herb 2 m. tall in F open florded reverbent smong TAES dense grasses. Caly x pale green. Petals pale spinh red et bese. Stamen column White Only one seed. K

USA: Florida. Saves. ta County. Seves. ta. Judianola, Sovo J. Kemiem: Treil, projecty of Elling Eide. 18 Aug 1985. Coll. T. Plowman, W.J.E. Kress and E. Erde. 14129. Citras hystrix DC. Rutec (3) "Keffir orange" "megrud" Cult. Free 6 un- tall. Fruits on pendulous brenches, dark green, with very oily rind (fismmable). Juner rind white, flesh 1, ght green, rether dry, testeless. 14130. Citrus medica L. var. Rutse Sarcodactylis (Noot.) Swingle n. v. Hand of Buddha Citron Cult. Tree 5 m. tall. Colyx (ight gren, tinged rose. Petals besally white, spically rose Fotoments on obskiel surface, white on edexiel surface. Filements White, Itsmens yellow. Fruits green.

MO

(3)

F WX

BH

14131. Artobotrys hexapetalus (L.f.) Bhand. (1) U.v. climbing ylang-ylang - (ult Climber 5 m. tall; shrub-like for 3 m, then deinbing by long epical shoot with host-like pedaneles. Fruits shing, green. 14132. Macadamia integrifolia Maiden + Betche Protesc n. v. macadamia nut Cult. Tree 4 m. tall. Fruits medium green, still numeteere; at meterity brown, dehiscing, 14133. <u>Pereskia</u> sy. Crctec Cult. shrub 1.5 m. tall. F Levres succulent, green on both Surfaces. Flowers finall, wexy, duil copper red.

14134. <u>Cudramia tricuspidata</u> (Carrière) (1) Bur. ex Lavallée Morec. Shrub 1.8 m. tall. Leenes dull, dork green above; pele green dull beneath. Fruit red; 14135. Lys: 10m2 latisiliqua (L.) Benth.
3) det. C. Niezgod= 1985. Legum. Cult. free 5 m. tall planted hear shore. Fruits still green. 14136 Tomorindus indico L. Legun. Cult free 8 m. tall with Spals preading branches. Spals pelow. Petals pale gellow with fine, red veins. 14137. Eugenia Exillario (Sw.) Willd. Myrts (2) h. v. white Stopper

Native shrub I m. tall on

bouh of oyster shell fill on shore, Flowers white.

14138. Pterygota alata (Roxb.) R. Br. Stercul (1) Cult. Free 6 m. tall. Leenes med in gren above; lighter green beneath with reddish major nerves Sterile. 14139 Diospyros virginiana L. Ebluec. The common persimmon's Cult-till & in-tall. Leeves (5) F beneath. Fruits orange at maturity, to 5 cm. diemeter, NY BH MG K Sweet-detringent.

14/40. Euphoris longon (Lour.) Steud. Sopinder.

(2) The longon

F (ult tree 2 m. tall with long

BH Spelading branches. Leaves

Shing, derh green shore with yellowish

midrib; lightly green, dull keneath.

Fruits brown at instructing with

translucent-white, edible avid

avound shing, darh brown seed.

1414. Ziziphus jujuba Mill. Rhamnee.

(1) n. « Common jujube"

F Cult. low Shrub 80 cm. tall.

Lewes shing, med. green chore;

lighte green, dell beneath.

Flowers greenish gellom

14142. Conorium album Roeusch. Burston (1) M.v. Chinese White Olive F Cult. tree 5 m. tall. Leaves Shing dook green above with yellowish midrib, lighter green beneath the less shing. Jumeture fruits olive green.

14143. Punico granstum L. Punicac.

(3) N.V. "pomegranate"

F Cult trelet 3 m. tael.

BH Fruits pendulous, shing

yellow with rose blush. Seeds

with juicy pinh aril.

14144. Annone globre L. Amon.

(2) 2. V. Soursop det. C. Nieggode 1985.

Cult. tree 5 m tall. Le sues

By Shing dark green above; pale

quer, Juli beneath. Flower

buds yellow-green.

14145 Sonsevieria Lilliac.

(2) Bowstring Hemp

F Cult. rhizoma fous herb.

Leeves erect, thich Correctous,

bended is horizontal zigzeg

pottere alternating light and

dork gree. Flowers creamy

white, frequent at night.

14146. Markhamia mozambiquensis Bignon.
(2)

F Cult. tree 4 m. tall. Leeves

BH dark green 2 bove, bull; light

green beneath, dull. Caryx

beg yellow. From the bright

yellow.

Lycianthes rantonnei (Carr. ex Lesc.) Bitter 14147. Jolenam rentonnetii Carrière Solener. det. n. nee 1985. Cult- Thrub 2 n. tall. no Corolla delp violet (3) Moritzi ex Mak, Podoum. (3) Junisture fruits green with bluish waxy covering. BH TAMPA 14148 A Manilkara zapota (L.) Van Royen Sapot. (9) (ult trelet 2 m. tall. F Colyx pele brown, Corolla. Creemy white. Abundant lotex i Stem. BH Z.V. Sapodilla

Vitse 14149. Cissus TRIFOLIATA (L.) L. Wild-growing vine in open My thickets on shore haves fleshy, Mo greyist green to med. green. Fêticles and aerial roots reddish. flowers pole yellow. 14150. Ludwigis PERUVIANA (LI) HARA ONEGT.

3) DET T. PLOWMAN 1986 (3) Tell herb to 4 u in open Sweepy area. Flowers yellow. NY 14151. Ziziphus jujuba Mill.

3) h.v. "Common jujube" Rhamee. Cult- shrub 1.5 m. tall. Iter with derh brown thorns. peler green, dull beneath Fruits dule ted.

14152. Avicennia germinans (L.) L. Verb. (2) det. C. Niczgodo 1985. native hangrove, tollet MBy Shrub 2 m. tall. Flowers fruit pelegren. 14153. Collitris sp. Cupresse. (1) hr. cypress pines F (ult Columner tree to u. tall. Ex 45DA distribution 14154. Nicodemia diversifolia Tenore Logan. (3) Cult. low spreading shrub.

F Flowers cream, lobes yellow.

BH "por lor oak" - white berries.

Let. T. Plowmen 1986. 14155. Laguncularia racemosa Galeta f Combret.

(2) det. C. Niezgoda 1985,

F Notive Should 3 m. tall in mangrove my area. Jume tura fruits pale

green. 14156. Jacquinia MACROCARPA CAV. Theophrat

(1) Sult- Shrub 2 m. tall.

F Sterile. DET. B. STAHL 1990

14157. Engenis
(3) Syzygium paniculatum Craesin.

F Cult-Shrub 3 m. tall.

BH Leaven rather shing, dark green
Ny above; rather shing light green
beneath. Fourts deep vose

colored, pendulous.

14158. Averrhos carambols L. Oxalidae.

(4) nv. carambols

F Cult. trelet 4 m. tall.

BH Juff. brenches and calyx

Leep carmin red. Petals vose

pinh. Fruits yellow.

14158 A Theretia peruviana (Pers.) K. Jehum. Apoc F Cult-treelet 3.5 m. tall.
BH Flowers pele grelow. Immeture
no fruits pale green. 14159. Prunus umbellata Ell. Rosac. Tree 8 m. tall with Spreading Crown. Marly mature fruits yellow-ovenge. "Mative Plum" 14160. Lagerotroemia Speciosa (L.) Pers, Lythrac F Teelt- breelet 4 m. tall
BH with spreading crown. Flowers
pele violet. 14161. Brachychiton populneum R. Br. Stercal Cult. free 10 m. tall with trunk bellied toward bere Sterile.

14162. Passiflora coriacea Juss. Passiflorac (2) Cuet. vine. Sten dark brownish

F purple. Leaves sking dark green I bre with pole green splotches; AAU light gree. Corolla brownish purple et bese, bele green et middle gellow epically. Cente of flower purplish born. Francis and Styles It. gree. Overy Cream. 14163. Tipuana fi pu (Berth.) O. Kuntze Legum.
(2) Let. C. Niezgoda 1985.

Cult. tele 12 m. tall. Leaves

dull, bluish gren store; dull very pele gren beneath. Fruits Higellowish green:

14164. Peltophorum dubium (Spreng.) Toub. Legun (2) det. C. Niezgod= 1985.

Cult. free 8 u. tall leeflets

BH Shing dark gree above; bale green, dull
beheath. Fruits light yellow\_

14165. Firmiana simplex (L) Wight Ferant. (4) h.v. Phoenix Tree. F-2 Cult tree 8 u, tall with BH-2 greyish green trunk lerves dark green, dull above; dull greyish green keneall Dried fruits brown. 14166. Vitis vinifera L. Vifac. F Calt. vine on trellis.

(2) 1.v. Grope.

F Calt. vine on trellis.

(asture fruto pole greenish.

gold, Shinz, vether metallic.

Very Sweet. 14167. Muntingia Calabura L. Tiliac. (2) nv. capulin

F Cult-free Su-fall. Flowers

BH White. Fruits Shing, dull

red at materity. Florida allections. reported to Alfreida

20 Aug 1985. Chicago. 14168. Houttuynia cordata Thunb. Saururace
(") Cult. Brecto white Opine pale.
F yellow. Roots strongly foetid. 25 Aug 1985. Brunfelsia jamaicensis (Buth.) Grisel. 14169. (Plowmen 33619) × B. plicata Urban (Plowmen 5222). (2) Ny. From cross made at Burlington Botanies Research Stetion, Woburn, MA., 1 Jul 1975. Seeds planted 1 Jul 1976. -> Kress, SEL 25 Aug 1985 14170. Brunfelois jemeicensis (Benth.) (Trisel. (Pl. 3361)

F (2) KB. plicete Urben (Ploumen, 5222)

BH Same deta es 14169. Different

> R. Montgomery seedling.

25 Aug 85 14171. Brunfelsia jemeinensis (Berth.) Grisel. (Pl.3361)

F (2) 1 B. pticote Urben (Ploumry 5222)

Same deto es 14169. Different

F Kampong

25 Aug 85

28 Aug 85 3500 n. Reta Ave.
14172. Begonia Begon. Cult. herb from commercial tubers. Bracts and perianth deep red. 28 Aug 85. Chicego. 14173. Remusatio vivipara (Lodd.) Schott Arac. Cult herb given from bulbils obtained et Selby Gerden. Plented 5 Jen 1984. F(3) BH NY Spikes pele green. 14174. Brunfelsia undu/sta Sw. Solonac. (3) Cult. shrub 1.2 m. fall in pele green. Corolla cream white, yellowing with age. TEX Cutting of Plowmen 3002 from Ponce, Pulito Rico.

Also = 197 PMA G CHARA Also = 7974, 3350.

8 sept 1985, Chicego, 831 W. Buckingham 14175. Krempferia Zingib. heres duch kellety green above, mottled with lighter green spots, de she green it middle; pole green throughout below. Petiole and bracks reddict purple. carolla tube white, limb pale received for melvin Shewluck. 14176. Acidenthera bicolor Hochst. Irilac Cult. tall herb form cover, (2) commercial fourse. Cepules F MO burns et meturity. See Plowmen 14030 for flowering Splermen. Allown tuberosum Rottl. ex K. Spreng. n.v. "chinese Chives", "Oriental Arlic" BH Clump-forming cultivated herb with gerlicky odor. Leaves NY TEX flat, solid. Flowers white.

letragonize. 14178. Tetragonia tetragonia ides
(2)

(Pall.) O. Kuntzl.

Fult. trailing. herl.

Flowers yellowish. n.v. New Zeoland spinach-grown 26 z vegetable. 14179. Hibiscus moschentos L. Malvac. Cult. ornsmentel herb 50 cm.
BH toll. Cepsules brown.
SPF See Plowmen 13844 for flowering
specimen. SPF 3 october 1985. 3311 n. Suley Ove, Chicago, Ill. 14180. Menispermum consdense L. Menispera (5) cultivated woody vine. Leeves dull, dera green above; whitish RB pole grew beneith. Moture Mo fruits blue-black with whitest NY bloom, to 1.2 cm. diameter.

14181. Pellaea viridis (Forsk.) Prant F (1) Cult. fern. let. R.G. Stolze 1985. 14/82. Begonis Begn. Calt-tuberous begonis fin commercial source. Flowers pele yellow. Ken gerdens, Richmond, Surrey, England 18 nov 1985. 14183. Decaisnes insignis Hook f. + Thoms. Lardiz. (1) (ult. week shrub 2.5 m. tall.

F Fruits pendulous, peli greyishseeds > Mo purple.
26 Jen 86. (fruits only). > D. fergesii Franch. (Licego, Il. 30 nov 1985. 14184. Ananas comosus (L.) Merr. Brom. lalt. ornamental fold za flower emplement: Brects on fruit pole pink. Fruit cream. Comose breets white,

17 MAR 86 - Chicago. 14185. Asperagus officinalis L. Lilian (1) Purchased i Jupermarket. (ectoc. 14186. Obregonis denegrii (fr. coll.) From collection of George Wilder. 14187. Coctac. From george Wilder Collection. Sterile. 21 Apr 86 14188. Akebia quinata (Houtt.) Decne. Lardizab. but. woody vine origins 1/y
from Arnold Arbor etum.

Pistillate f/s: fepals deep
purple. Stominate f/s: buds
yellow-gree to deep purple. MO Ny MBM COL RB CR.

Chicago, 911. 3311 N. Seely. 1 June 86. growing on sandy-day soil (recently furned raised bed), cream-colored with tinge of pinh, consistency of toothpaste. ret F Seme Locality. 6 June 1986. 14190. Menispermum canadense L. Menusp. (15) Withvoled wiry vine of fence. Leves medium green above poligren beneath. Fromers greenish yellow. No of flo. seen. See 14180 for Fruiting material. F MBM NY CR MO XAL BH 415 A-JP COL VEN RB WAG TUPA HUT Lupinus

(v. 'Russel's Hybrid'

Cult. perennial herb 1 m tall.

Benner and keel white, wings

red violet. 14191 (1)

16 June 86. - Chicago.

14192. Incorvilles delsvoyi Bur. + Franch. Bignon.

(2) det. At. Gentry 1986.

F Cult. tuberous-rooted, accuMo lascent herb. Lesves dark green,
somewhat shing obove, pale
green beneath. Corolle tube
deep yellow at base, pole Isvender
apreally. Limb pole mogenta, deep
magento at throat, the tube
yellow within with magenta
streaks.

27 July 1986. USA: Illinois: Cook Co. Chicago 3311 M. Seeley. Gerden. 14193. Dimorphotheca sinuata DC. Comp. Calt. brenched herb 60 cm. tell. Rays orange, dark purple at Collected i Nomequeland, South Africa, by Thomas SoderStrom. 14194. Dimorphothera pluvialis (L.) Moench. Comp. Cult. branched herb to 60 cm. tall. Reys adaxially white dark purple at base, abaxially brownish. Disc florets yellow. Reys closing in evening.

Grown from Seed collected wild in Namaqualand, South Africa by Thorness Soderstrom.

F (2)

(10)


BIT

F 1364 NY MO TEX MBM COL WL5 RB A-JP

14195. Sisymbrium altissimum L. Cracif. dit- C. Niezgod= 1987. F MEX4 Mo MBM GIT i flower garden. Flowers yellow. 14196. Nigella damascena L. Kanunc. n.v. "Persian Jewels" Cult. znnus ornamental (TUAM BH herb 80 cm. tall. Flowers pele blue or white. Fruits immetine, pele green tinged brown, MO MBM NY TEX XAL 14197. Molycalla laevis L. Labiet (5) n.v. Bells of Ireland F GUAM Cult. Ennuel ornemental herb to 90 cm. tall. Enlarged calyx pale green. Upper lip of corolla levender, lower lip white. COL

Solanec. 14198, Physolis purviena L. (5)cult. coerse herb 1.2 m. tall x F 1.5 m. diemeter. Flowers pendu-GB lows. Corolla pele yellow with NY 5 brownish spots within. Limb recurred. Inflated calyx light green with purplish ribs. Imm. fruit. light green. BH MEXY Labiat. 14199. Mentha pulegium L. Cult. aromatic herb: Flowers lavender. Leaves Strongly Bromatic. N.V. European Pennyroyal GUAM BH MO XAL MBM

F





(V) spleiner missing ~ 1659 Gramin. 1362 Crue. 4 1370 Sorgh. 1677 Fungi 1696 Renunc. 1374 Amor. - Bomsee 1716 Scropl. 177 5 Barnadesia 1727 Chenopodi 1411 Oxalis 1747 ? 1422 Barnaderia 1755- ALC. 1448 Bomerca 1780- Lichen 1458 Asclep. 1785- Peperomo 1468? 1812 - Bryophyte 1484 Oxalis 1822 - Lichen 1498 Helianthus? 1502 Biden 127 Crucy. 1505 medicago. 141 Fer-V 1510 ? - 148 Hepat. 1512 Asclep. 177 Piles (check my) 1513 Cruif. 194 Oxalis 1526 Comp. V 219 biche 4221 N 1527 ? 1252 S ? 1531 Bartsia 155 Astragalus 1553 Bartsia v 230 liche 1263 Nepet. 254 Leg- Pheseolus 1858 Crucif. 271 Algan 1567 Lyinus ~ 283 Liche 1580 Oxelis 1284 Lice 290 orchid. 1611 Minulus v 292 Liche 1618 Gentranac 314 Crucif. 1623 Oxelis

1653 Orchid.



